






# University of Catania

## Scientific Writing Resources

### Purified of                      Purified from


#### AB was purified of B

(AB was the source, B was removed, A was what we want)



#### A was purified from AB

(AB was the source, A was removed, A was what we want)



- When ***purified of*** this inactive material, both 9- and 50-day-old rat...
  - (the “inactive material” was removed)
- .... Membrane ***proteins***, when substantially ***purified of*** normal membrane constituents...
  - (the “normal membrane constituents” were removed and not used)
- ...food ***proteins*** may result in the final product being insufficiently ***purified of*** undesirable substances which ...
  - (the “undesirable substances” were removed and not used)
- ... has to be ***purified of*** potentially toxic compounds.
  - (the “potentially toxic compounds” were removed and not used)
- Ideally, the body is ***purified of*** the chemicals and impurities consumed every day in ...
  - (the “chemicals and impurities” were removed and not used)



# University of Catania

## Scientific Writing Resources

### Purified of      Purified from

- A low molecular weight substance ***purified from*** human placenta inhibits cAMP-dependent protein kinase and ...
  - (the “low molecular weight substance ” was removed and used)
- This enzyme has been ***purified from*** human liver microsomes...
  - (the “enzyme” was removed and used)
- Radiolabeled Moab was ***purified from*** free Iodine by Sephadex G-25 gelfiltration...
  - (the “Radiolabeled Moab” was removed and used)
- Structure of C Protein ***Purified from*** Cardiac Muscle.
  - (the “Structure of C Protein ” was removed and used)
- Novel heterotrimeric kinesin-related protein ***purified from*** sea urchin eggs.
  - (the “Novel heterotrimeric kinesin-related protein ” was removed and used)
- Platelet-derived growth factor, PDGF, ***purified from*** human platelets...
  - (the “PDGF” was removed and used)
- Factor-binding Protein ***Purified from*** Bovine Prepartum.
  - (the “Factor-binding Protein ” was removed and used)
- New anti-Paenibacillus larvae substances ***purified from*** propolis.
  - (the “New anti-Paenibacillus larvae substances ” were removed and used)